

GO TO OUR WEBSITE



RESTEC
roofing systems

RESTEC
FLEXITEC 2020

Multi-surface GRP roofing system

20kg

Approx Pack Coverage
7.4m² - 10.6m²

10m² Roof Kit

RESTEC
FLEXITEC 2020
PRIME

FLEXITEC

Multi-surface GRP roofing system

One Resin.


Countless possibilities.

Restec Flexitec 2020 is a flexible, single-resin GRP system with full overlay and new deck waterproofing capabilities.

Combining the best elements of fibreglass with the versatility of overlay systems, no other flat roof system performs at this level across so many applications.

Why choose **FLEXITEC** 2020?

- ✔ Highly versatile and capable of coating virtually all common surfaces.
- ✔ Ideal combination of flexibility and toughness.
- ✔ Only 30-60 mins cure time per coat - genuinely rapid installations.
- ✔ Can achieve BROOF(t4) Fire Rating for unrestricted use.
- ✔ 20 Year Materials Guarantee accessible to trained installers.
- ✔ LABC Registered Detail for assured compliance with building regulations.



CHECK OUT OUR
SOCIAL MEDIA!



Follow us online @restecroofing



Before



After



Call: 0845 4504 193

restecroofing.co.uk

2020 FLEXITEC Components



FLEXITEC RESIN

Main liquid component used for both the base & top coats.

Pack Size	Coverage	Code
20kg	7.4 - 10.6m ² Two coat application	162003
10kg	3.7 - 5.3m ² Two coat application	162002

FLEXITEC PRIMER

A universal primer for most surfaces including felt, asphalt, concrete, PVC single ply & timber.

Pack Size	Coverage	Code
5kg	17-26m ²	158105



POWDER HARDENER

Added to Flexitec 2020 Resin & Primer to trigger curing process.

Pack Size	Code
1kg	102013



RESTEC 225g/m² CSM

Chopped strand mat reinforcement embedded in the first coat.



Pack Size	Coverage	Code
-120m ²	111m ²	104111
30m ²	28.8m ²	104322
15m ²	14.4m ²	104321

FLEXITEC 10M² ROOF KIT



EVERYTHING YOU NEED IN ONE BOX!

Pack	Contains	Code
10m ² Kit	Materials & tools for a roof up to 10m ²	101162

FLEXITEC DETAILER

A flexible, fibre-reinforced resin for use on roof detailing, inaccessible areas, levelling & minor repairs.



Pack Size	Coverage	Code
5kg	2-3m ²	162011

METAL DETAILING PRIMER

A single pack, fast drying metal primer in a resealable 250ml tin.



Pack Size	Coverage	Code
8x 250ml	10-30m ² per box of 6	122067

SP PRIMER

A moisture curing primer for PVC, TPO & EPDM single ply.



Pack Size	Coverage	Code
1ltr	12-15m ²	122006

ACETONE

Used for cleaning tools & as a pre-surface treatment for some substrates.



Pack Size	Code
5ltr	109106
1ltr	109026

WINTER ACCELERATORS

Low temperature additive to allow in installations down to 1°C. Summer inhibitor also available.



Pack	Coverage	Code
Resin	1 pack per 10kg Resin	162005
Primer	1 pack per 5kg Primer	158106

Check out our full range:



2020 FLEXITEC Balcony System

Balcony & Walkway Finishes: FLEXITEC offers a seamless, durable and attractive finish for balconies, walkways and terraces. When used in conjunction with the FLEXITEC Balcony Sealer, a high-performance PMMA finishing resin, the system provides an extremely hard wearing finish that can accommodate heavy foot traffic and balcony usage.

NOT SURE ON QUANTITY?

Our team of experts are on hand to help you estimate materials for a job.
0845 4504 193




Download
Manual

- 1 **QUARTZ SAND AGGREGATE**
with FLEXITEC BALCONY SEALER - Light Grey
- 2 **QUARTZ SAND AGGREGATE**
with FLEXITEC BALCONY SEALER - Dark Grey
- 3 **QUARTZ SAND AGGREGATE**
with FLEXITEC BALCONY SEALER - Clear
- 4 **BARN OWL BLEND AGGREGATE**
with FLEXITEC BALCONY SEALER - Clear
- 5 **VINEYARD BLEND AGGREGATE**
with FLEXITEC BALCONY SEALER - Clear
- 6 **HILLSIDE BLEND AGGREGATE**
with FLEXITEC BALCONY SEALER - Clear
- 7 **BAYSIDE BLEND AGGREGATE**
with FLEXITEC BALCONY SEALER - Clear
- 8 **HARVEST BLEND AGGREGATE**
with FLEXITEC BALCONY SEALER - Clear
- 9 **MIST BLEND AGGREGATE**
with FLEXITEC BALCONY SEALER - Clear
- 10 **GREEN MINERAL SLATE CHIPPINGS**
Suitable for occasional foot traffic only.
- 11 **BLUE MINERAL SLATE CHIPPINGS**
Suitable for occasional foot traffic only.

MOST CUSTOMERS WILL PREFER LIGHT GREY FLEXITEC 2020 BENEATH THE GRIT AS IT HELPS SHOWCASE THE AGGREGATE COLOUR. SAMPLES ARE AVAILABLE FROM RESTEC ON REQUEST

FLEXITEC Applications

Depending on the type, roughness and porosity of the surface to be coated, the priming requirements and amount of material required can vary. The table below outlines suitable **substrates**, **primers** and typical **coverage** rates.



MIXING BUCKET AVAILABLE! TO HELP YOU WITH MEASUREMENTS.



*Adhesion tests may be required for certain substrates to confirm preparation & priming requirements. All coverage rates are indicative only and subject to confirmation on the site. We recommend adding a minimum 10% wastage to the coverage rates shown above.

Check out our full range:

